

# SIGVARIS

LIFE FOR LEGS

**Ever** *Sheer*



Sheer Stockings for  
Today's Fashionable Woman

15-20mmHg • 20-30mmHg • 30-40mmHg  
**Calf • Thigh • Pantyhose**

**FASHIONABLE** COMPRESSION **HOSIERY**



## SIGVARIS EverSheer: *Where Efficacy Meets Fashion*

SIGVARIS EverSheer Medical Compression Hosiery for Women features double-covered lay-in yarns to provide the sheerest compression hosiery with a fashionable look. Perfect after vein procedures and for the prevention of varicose and spider veins, EverSheer combines all-day softness and comfort with greatest possible durability to meet the needs of today's modern woman!

### EverSheer Features:

- Relieves tired and aching legs
- Excellent breathability and moisture management for your comfort
- Double-covered lay-in yarns make it soft to the skin yet easy to don
- No binding behind the knee

### Did you know...

Clinical studies have proven that wearing 20-30 mmHg graduated compression stockings for three weeks post sclerotherapy significantly reduces hyperpigmentation and improves overall vessel appearance.<sup>1 2 3</sup>



# EverSheer KEY FEATURES

## Sheerness

The only compression hosiery with consistent sheerness from ankle through thigh as proven by monochromatic picture tests

## Softness

EverSheer features double-covered inlay yarns that provide a softer feel with less skin irritation

## Top Band (Sensinnov)

Patented breathable thigh band stays in place with less skin irritation during wear and removal

## Moisture Management

EverSheer enjoys excellent breathability and moisture management characteristics, allowing moisture to wick away from the skin

## Ease of Donning

Double-covered lay-in yarns make EverSheer easier to don because bare spandex never touches the skin

## Sizing Assortment

EverSheer and the PFS<sup>2</sup>System provide ready-to-wear sizes that fit 97% of female population



Sensinnov™  
Top Band  
keeps Thigh-  
high in place



15–20mmHg, 20–30mmHg  
and 30–40mmHg (Q3)  
Medical Compression Hosiery  
available in these styles  
and colors:

- Calf
- Thigh-high with Grip-top
- Pantyhose

(all styles available in open  
toe, Natural and Suntan only)



**Courtesy of:**

1. Efficacy of Graduated Compression Stockings for an Additional 3 Weeks after Sclerotherapy Treatment of Reticular and Telangiectatic Leg Veins. Nootheti, Cadag, Magpanty, and Goldman. *Dermatol Surg* 2009; 35:53-58

2. Compression after sclerotherapy for telangiectasias and reticular leg veins: A randomized controlled study. Kern, Ramelet, Wütschert, and Hayoz. *Journal of Vascular Surgery*, 2007; 45:1212-16

3. Post-Sclerotherapy Compression: Controlled comparative Study of Duration of Compression and Its Effects on Clinical Outcome. Weiss, Sadick, Goldman, Weiss. *Dermatol Surg* 1999; 25:105-108



For a certified SIGVARIS dealer  
near you, please visit

[www.sigvarisusa.com](http://www.sigvarisusa.com)

SIGVARIS, Inc.  
1119 Highway 74 South  
Peachtree City, GA 30269  
USA  
1.800.322.7744

SIGVARIS, LIFE FOR LEGS, and PFS are registered trademarks of Ganzoni & Cie AG, CH-9014 St.Gallen/Switzerland, in many countries worldwide.  
© Copyright 2011 SIGVARIS, Inc.

LIT-780BROC 03.11